

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 209120-C



**WISCONSIN STATE LABORATORY OF HYGIENE
2601 AGRICULTURE DRIVE**

**MADISON WI 53718
608-224-6207
Lab ID: 2091**



Analyte Code	Analyte Name	Effective Date	Expiration Date	Matrix	Category	Accr. Type
Method Code: 10013806 Method Ref: EPA 200.7			Revision: 4.4		Date: 1994	
1000	ALUMINUM, TOTAL	07/01/2018	06/30/2021	D	MET	NE
1015	BARIUM, TOTAL	07/01/2018	06/30/2021	D	MET	NE
1020	BERYLLIUM, TOTAL	07/01/2018	06/30/2021	D	MET	NE
1025	BORON, TOTAL	08/22/2019	06/30/2021	D	MET	NE
1035	CALCIUM, TOTAL	07/01/2018	06/30/2021	D	MET	NE
1050	COBALT, TOTAL	07/01/2018	06/30/2021	D	MET	NE
1055	COPPER, TOTAL	07/01/2018	06/30/2021	D	MET	NE
1070	IRON, TOTAL	07/01/2018	06/30/2021	D	MET	NE
1085	MAGNESIUM, TOTAL	07/01/2018	06/30/2021	D	MET	NE
1090	MANGANESE, TOTAL	07/01/2018	06/30/2021	D	MET	NE
1100	MOLYBDENUM, TOTAL	08/22/2019	06/30/2021	D	MET	NE
1105	NICKEL, TOTAL	07/01/2018	06/30/2021	D	MET	NE
1125	POTASSIUM, TOTAL	08/22/2019	06/30/2021	D	MET	NE
1155	SODIUM, TOTAL	07/01/2018	06/30/2021	D	MET	NE
1160	STRONTIUM, TOTAL	07/01/2018	06/30/2021	D	MET	NE
1185	VANADIUM, TOTAL	07/01/2018	06/30/2021	D	MET	NE
1190	ZINC, TOTAL	07/01/2018	06/30/2021	D	MET	NE
Method Code: 20042608 Method Ref: SM 2130 B			Revision: 21st ED		Date: 2001	
2055	TURBIDITY	07/01/2018	06/30/2021	D	NMI	NE
Method Code: 20045607 Method Ref: SM 2320 B-1997			Revision:		Date: 1997	
1505	ALKALINITY	07/01/2018	06/30/2021	D	NMI	NE
Method Code: 20046600 Method Ref: SM 2340 B-1997			Revision:		Date: 1997	
1755	HARDNESS AS CaCO ₃	08/06/2019	06/30/2021	D	NMI	NE
Method Code: 20048402 Method Ref: SM 2510 B			Revision: 21st ED		Date: 1997	
1610	CONDUCTIVITY	07/01/2018	06/30/2021	D	NMI	NE
Method Code: 20086800 Method Ref: SM 4500-CL E-1997			Revision:		Date: 1997	
1575	CHLORIDE	07/01/2018	06/30/2021	D	NMI	NE
Method Code: 10113403 Method Ref: EPA 903.1			Revision:		Date:	
2965	RADIUM-226	07/01/2018	06/30/2021	D	RAD	NE
Method Code: 10308200 Method Ref: EPA 900.0			Revision:		Date: 1980	
2830	GROSS ALPHA	07/01/2018	06/30/2021	D	RAD	NE
2840	GROSS BETA	07/01/2018	06/30/2021	D	RAD	NE
Method Code: 10308608 Method Ref: EPA 901.1			Revision:		Date: 1980	
2826	GAMMA EMITTERS	07/01/2018	06/30/2021	D	RAD	NE
2875	IODINE-131	07/01/2018	06/30/2021	D	RAD	NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 209120-C



**WISCONSIN STATE LABORATORY OF HYGIENE
2601 AGRICULTURE DRIVE**

**MADISON WI 53718
608-224-6207
Lab ID: 2091**



Method Code:	Method Ref:	Revision:	Date:
10309805	EPA 904.0		1980
2970	RADIUM-228	07/01/2018	06/30/2021 D RAD NE
10310006	EPA 905.0		1980
3000	STRONTIUM-89 (CALC.)	07/01/2018	06/30/2021 D RAD NE
3005	STRONTIUM-90	07/01/2018	06/30/2021 D RAD NE
20158605	SM 7110 C (GPC)		1998
2830	GROSS ALPHA	07/01/2018	06/30/2021 D RAD NE
20177406	SM 7500-U C ALPHA SPECT.		1995
3035	URANIUM (ACTIVITY)	07/01/2018	06/30/2021 D RAD NE
10013806	EPA 200.7		1994
1000	ALUMINUM, TOTAL	07/01/2018	06/30/2021 N MET NE
1005	ANTIMONY, TOTAL	07/01/2018	06/30/2021 N MET NE
1010	ARSENIC, TOTAL	07/01/2018	06/30/2021 N MET NE
1015	BARIUM, TOTAL	07/01/2018	06/30/2021 N MET NE
1020	BERYLLIUM, TOTAL	07/01/2018	06/30/2021 N MET NE
1025	BORON, TOTAL	07/01/2018	06/30/2021 N MET NE
1030	CADMIUM, TOTAL	07/01/2018	06/30/2021 N MET NE
1035	CALCIUM, TOTAL	07/01/2018	06/30/2021 N MET NE
1040	CHROMIUM, TOTAL	07/01/2018	06/30/2021 N MET NE
1050	COBALT, TOTAL	07/01/2018	06/30/2021 N MET NE
1055	COPPER, TOTAL	07/01/2018	06/30/2021 N MET NE
1070	IRON, TOTAL	07/01/2018	06/30/2021 N MET NE
1075	LEAD, TOTAL	07/01/2018	06/30/2021 N MET NE
1085	MAGNESIUM, TOTAL	07/01/2018	06/30/2021 N MET NE
1090	MANGANESE, TOTAL	07/01/2018	06/30/2021 N MET NE
1100	MOLYBDENUM, TOTAL	07/01/2018	06/30/2021 N MET NE
1105	NICKEL, TOTAL	07/01/2018	06/30/2021 N MET NE
1125	POTASSIUM, TOTAL	07/01/2018	06/30/2021 N MET NE
1140	SELENIUM, TOTAL	07/01/2018	06/30/2021 N MET NE
1150	SILVER, TOTAL	07/01/2018	06/30/2021 N MET NE
1155	SODIUM, TOTAL	07/01/2018	06/30/2021 N MET NE
1160	STRONTIUM, TOTAL	07/01/2018	06/30/2021 N MET NE
1165	THALLIUM, TOTAL	07/01/2018	06/30/2021 N MET NE
1180	TITANIUM, TOTAL	07/01/2018	06/30/2021 N MET NE
1185	VANADIUM, TOTAL	07/01/2018	06/30/2021 N MET NE
1190	ZINC, TOTAL	07/01/2018	06/30/2021 N MET NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 209120-C



**WISCONSIN STATE LABORATORY OF HYGIENE
2601 AGRICULTURE DRIVE**

**MADISON WI 53718
608-224-6207
Lab ID: 2091**



Method Code: 10036609	Method Ref: EPA 245.1		Revision: 3	Date: 1994		
1095	MERCURY, TOTAL	07/01/2018	06/30/2021	N	MET	NE
Method Code: 10155609	Method Ref: SW-846 6010B		Revision: 2	Date: 1996		
1000	ALUMINUM, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1005	ANTIMONY, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1010	ARSENIC, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1015	BARIUM, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1020	BERYLLIUM, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1025	BORON, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1030	CADMIUM, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1035	CALCIUM, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1040	CHROMIUM, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1050	COBALT, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1055	COPPER, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1070	IRON, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1075	LEAD, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1085	MAGNESIUM, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1090	MANGANESE, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1100	MOLYBDENUM, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1105	NICKEL, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1125	POTASSIUM, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1140	SELENIUM, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1150	SILVER, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1155	SODIUM, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1165	THALLIUM, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1185	VANADIUM, TOTAL	07/01/2018	06/30/2021	N	MET	NE
1190	ZINC, TOTAL	07/01/2018	06/30/2021	N	MET	NE
Method Code: 10165807	Method Ref: SW-846 7470A		Revision: 1	Date: 1994		
1095	MERCURY, TOTAL	07/01/2018	06/30/2021	N	MET	NE
Method Code: 10237204	Method Ref: EPA 1631E		Revision:	Date: 2002		
1095	MERCURY, TOTAL	07/01/2018	06/30/2021	N	MET	NE
Method Code: 10063602	Method Ref: EPA 350.1		Revision: 2	Date: 1993		
1515	AMMONIA AS N	07/01/2018	06/30/2021	N	NMI	NE
Method Code: 10065404	Method Ref: EPA 351.2		Revision: 2	Date: 1993		
1795	TOTAL KJELDAHL NITROGEN (TKN)	07/01/2018	06/30/2021	N	NMI	NE
Method Code: 10067604	Method Ref: EPA 353.2		Revision: 2	Date: 1993		
1820	NITRATE-NITRITE AS N	07/01/2018	06/30/2021	N	NMI	NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 209120-C



**WISCONSIN STATE LABORATORY OF HYGIENE
2601 AGRICULTURE DRIVE**

**MADISON WI 53718
608-224-6207
Lab ID: 2091**



Method Code	Method Ref	Revision	Date	SC	MET	NE
Method Code: 10070005	Method Ref: EPA 365.1	Revision: 2	Date: 1993			
1870	ORTHOPHOSPHATE AS P	04/17/2020	06/30/2021	N	NMI	NE
1910	PHOSPHORUS, TOTAL	07/01/2018	06/30/2021	N	NMI	NE
Method Code: 10073004	Method Ref: EPA 375.2	Revision: 2	Date: 1993			
2000	SULFATE	07/01/2018	06/30/2021	N	NMI	NE
Method Code: 10081400	Method Ref: EPA 445	Revision: 1.2	Date: 1997			
9345	CHLOROPHYLLS	07/01/2018	06/30/2021	N	NMI	NE
Method Code: 10238809	Method Ref: EPA 353.2 (CALC.)	Revision:	Date:			
1810	NITRATE AS N	08/22/2019	06/30/2021	N	NMI	NE
Method Code: 20045607	Method Ref: SM 2320 B-1997	Revision:	Date: 1997			
1505	ALKALINITY	07/01/2018	06/30/2021	N	NMI	NE
Method Code: 20046600	Method Ref: SM 2340 B-1997	Revision:	Date: 1997			
1755	HARDNESS AS CaCO3	08/06/2019	06/30/2021	N	NMI	NE
Method Code: 20048606	Method Ref: SM 2510 B-1997	Revision:	Date: 1997			
1610	CONDUCTIVITY	07/01/2018	06/30/2021	N	NMI	NE
Method Code: 20049405	Method Ref: SM 2540 B-1997	Revision:	Date: 1997			
1950	RESIDUE, TOTAL (TS)	07/01/2018	06/30/2021	N	NMI	NE
Method Code: 20050402	Method Ref: SM 2540 C-1997	Revision:	Date: 1997			
1955	RESIDUE, FILTERABLE (TDS)	07/01/2018	06/30/2021	N	NMI	NE
Method Code: 20051201	Method Ref: SM 2540 D-1997	Revision:	Date: 1997			
1960	RESIDUE, NON-FILTERABLE (TSS)	07/01/2018	06/30/2021	N	NMI	NE
Method Code: 20051585	Method Ref: SM 2540 E-1997	Revision:	Date: 1997			
1970	RESIDUE, VOLATILE	07/01/2018	06/30/2021	N	NMI	NE
Method Code: 20086800	Method Ref: SM 4500-CL E-1997	Revision:	Date: 1997			
1575	CHLORIDE	07/01/2018	06/30/2021	N	NMI	NE
Method Code: 20113104	Method Ref: SM 4500-NO2 B-2000	Revision:	Date: 2000			
1840	NITRITE AS N	07/01/2018	06/30/2021	N	NMI	NE
Method Code: 20135255	Method Ref: SM 5210 B-2001	Revision:	Date: 2001			
1530	BIOCHEMICAL OXYGEN DEMAND (BOD)	07/01/2018	06/30/2021	N	NMI	NE
1555	CARBONACEOUS BIOLOGICAL OXYGEN DEMAND	07/01/2018	06/30/2021	N	NMI	NE
Method Code: 20137819	Method Ref: SM 5310 B-2000	Revision:	Date: 2000			
2040	TOTAL ORGANIC CARBON (TOC)	08/06/2019	06/30/2021	N	NMI	NE
Method Code: 30006189	Method Ref: ASTM D1252-06B	Revision:	Date: 2006			
1565	COD	07/01/2018	06/30/2021	N	NMI	NE
Method Code: 10155609	Method Ref: SW-846 6010B	Revision: 2	Date: 1996			
1000	ALUMINUM, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1005	ANTIMONY, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1010	ARSENIC, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1015	BARIUM, TOTAL	07/01/2018	06/30/2021	SC	MET	NE


This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 209120-C



**WISCONSIN STATE LABORATORY OF HYGIENE
2601 AGRICULTURE DRIVE**

**MADISON WI 53718
608-224-6207
Lab ID: 2091**



1020	BERYLLIUM, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1025	BORON, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1030	CADMIUM, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1035	CALCIUM, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1040	CHROMIUM, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1050	COBALT, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1055	COPPER, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1070	IRON, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1075	LEAD, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1085	MAGNESIUM, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1090	MANGANESE, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1100	MOLYBDENUM, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1105	NICKEL, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1125	POTASSIUM, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1140	SELENIUM, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1150	SILVER, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1155	SODIUM, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1165	THALLIUM, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1185	VANADIUM, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
1190	ZINC, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
Method Code: 10166208 Method Ref: SW-846 7471A			Revision: 1		Date: 1994	
1095	MERCURY, TOTAL	07/01/2018	06/30/2021	SC	MET	NE
Method Code: 10244823 Method Ref: SW-846 9060A			Revision:		Date: 2004	
2040	TOTAL ORGANIC CARBON (TOC)	07/01/2018	06/30/2021	SC	NMI	NE
Method Code: 10118806 Method Ref: SW-846 1311			Revision: 0		Date: 1992	
1466	TOXICITY CHARACTERISTIC LEACHING PROCEDURE (TCLP)	07/01/2018	06/30/2021	SC	PRE	NE

Bill Hall
WISCONSIN 2/5/2021

Bill Hall
NH ELAP Program Manager
Issue Date: 02/05/2021

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 209120-C



**WISCONSIN STATE LABORATORY OF HYGIENE
2601 AGRICULTURE DRIVE**

**MADISON WI 53718
608-224-6207
Lab ID: 2091**



Matrix Legend: AE=Air; BT=Tissue; D=Drinking Water; N=Non-Potable Water; SC=Solid and Chemical Materials

Category Legend: MIC=Microbiology; MET=Metals; NMI=Non-Metal Inorganics; PRE=Preparation; VOC=Volatile Organic Compounds; SBN=SVOC-BNA; SHE=SVOC-Herbicides; SNO=SVOC-NOS; SPC=SVOC-PCB; SPE=SVOC-Pesticides; RAD=Radiochemistry; WET=Wet, PFC=Perfluorinated compound

Accreditation Legend: NE=NELAP; NH=NH State Certification; CE=State Certification; IN=Interim (NELAP); WI=Withdrawn; AP=Applied; RE=Revoked; SU=Suspended

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).